

Fig. 1

Database Explorer Beta - The Beginning

Select a Database

☒ Ora ☐ Access ☐ Syb

User: itbcse Password: **** Server:

CONNECT

Count: 5000

Warn If Rec Count > ☒

Columns

cosw12 - SANDBOX
schor14- ORION
schor15- SCR
schorm41 - TIM
schorp15 - CRS
short19- CASE
schory15-MSD

Queries

☒ Select all from TABLE
☐ Select 100 from TABLE

Find: 100

Print

Get Record Count

View Only This ☒

Use LIKE ☒

Find

Fig. 2

Database Explorer Beta, The Beginning

Select a Database

10

20

21

12

22

14

16

18

24

Owner (9): TBCSE

Model: MDSYS

Model: MTSSYS

Model: ORDPLUGINS

Model: ORDSYS

Model: PUBLIC

Model: 324-D5SYS

Model: 324-D6SYS

Model: 324-U5SYS

Model: SYSTEM

Model: TBCSE

Model: 32X

Model: 390HD5SS

Model: 390HD6SS

Model: 390HU5SS

Model: 51

Model: 52

Model: 51P

Model: 51R

Model: 51X

Model: 52B

Model: 52X

Model: 550MW

Model: 9H Generator

User: fbosc

Password: ****

Server:

Disconnect

Autosize

Warn If Rec Count > 5000

Count: 104

MODEL	MODEL_USEDIN
10/1	Sybase
10/2	Sybase
324-D5SYS	CostOut
324-D6SYS	CostOut
324-U5SYS	CostOut
SYSTEM	Sybase
TBCSE	Sybase
32X	Sybase
390HD5SS	CostOut
390HD6SS	CostOut
390HU5SS	CostOut
51	Sybase
52	Sybase
51P	CostOut, Sybase, mso_john
51R	Sybase
51X	Sybase
52B	Sybase
52X	Sybase
550MW	CostOut
9H Generator	

Select all from TABLE

Select 100 from TABLE

Columns (3): MODEL

Queries

SELECT * FROM TBCSE.CSET_MODEL

82a

82b

82c

82d

82e

82f

Print

Excel

CSV

HTML

XML

Chart

Execute

Find:

in Columns (3): MODEL

Use LIKE

View Only This

Get Record Count

FIND

Fig. 3




Fig. 4




Fig. 5

Database Explorer Beta: The Beginning

Select a Database: ☒ Ora ☐ Access ☐ Syb

User: Password: Server:

Owner (9): ☒ Autosize ☒ Warn If Rec Count > Count:

OWNER	OBJECT_NAME
TBCSE	CSET_EMPLOYEE
TBCSE	CSET_EMPLOYEESTATUS

☒ Select all from TABLE (54):

☒ Select [100] from TABLE

Queries: Get COLUMN names for a given owner. - SELECT COLUMN_NAME, DATA_TYPE, TABLE_NAME FROM

SELECT COLUMN_NAME, DATA_TYPE, TABLE_NAME FROM ALL_TAB_COLUMNS WHERE OWNER='TBCSE' AND COLUMN_NAME LIKE '%EMPLOYEE%' 82e

Find: in Columns (3): ☐ Use LIKE ☐ View Only This

82a 82b 82c 82d 82e 82f 82g 82h 82i 82j 82k 82l 82m 82n 82o 82p 82q 82r 82s 82t 82u 82v 82w 82x 82y 82z

Fig. 6

XML

Templates

Sortable Table (XML,XSL,CSS,H

Simple Table (XML,XSL)


HTML Table (XML,XSL,HTM)

Sortable Table (XML,XSL,CSS,HTM)

SAVE

☐ Save Directly to Selected Path

Fig. 7






Fig. 9




Fig. 10




Fig. 11




Fig. 12